

कार्यालय वनमण्डलाधिकारी दक्षिण (सामान्य) वनमण्डल बैतूल, (म.प्र.)

पता - कालेज रोड, गांधीनगर वार्ड, बैतूल, जिला बैतूल (म.प्र.) पिन : 460001

E-Mail : dfotsbetul@mp.gov.in

Ph. & Fax No. 07141-234266

क्र०/स्टोर/1368

बैतूल, दिनांक 16/10/2025

खंड -I

ई-निविदा आमंत्रण सूचना

मध्यप्रदेश शासन

ई-निविदा आमंत्रण सूचना संख्या 1368/ई-टेंडरिंग/2025-26 दिनांक 16.10.2025

—00—

सर्वसाधारण को सूचित किया जाता है कि वन वृत्त बैतूल के दक्षिण बैतूल (सा.) वनमण्डल अंतर्गत वन्यप्राणी रेस्क्यू उपकरण एवं वन्यप्राणी प्रबंधन हेतु सामग्री क्रय करने हेतु ई-निविदा आमंत्रित की जाती है। निविदा प्रपत्र, शर्तें एवं विस्तृत जानकारी हेतु म.प्र. शासन की वेबसाइट [https:// mptenders.gov.in](https://mptenders.gov.in) एवं www.mpforest.gov.in पर लॉग-ऑन करें।

निविदा प्रपत्र का मूल्य राशि रुपये 1000.00 तथा सत्यंकार की राशि 1,00,000/- रुपये हैं। जमा की दोनों रसीदों को निविदा के साथ अपलोड करना है। निविदा प्रपत्र ऑन-लाईन ही क्रय किया जा सकेगा एवं निविदा ऑनलाईन ही प्रस्तुत करने पर मान्य होगी।

क्र.	सामग्री का विवरण	स्पेसिफिकेशन	मात्रा
1	CAMERA TRAP COLOR	Image resolution-2/5/8/12/20mega pixel Image quality-1080/30 fps full HD Recovery time 2 seconds White Flash LED-Distance 30 meter FOV-56° Image-camera ID, date/time, Temperature Min built in 2.0" TFT color screen/display Memory-SD Card up to 128 GB Power Supply-8 AA batteries Adjustable Pir Sensitivity-Low/Medium/High IP68 dust proof	15
2	CAMERA TRAP GSM MODE	Sim Operated Trail Camera App system Android 7.0 or latest, IOS 11.0 or latest 32 MP 4G LTE solution 0.35 Trigger Speed Cloud Storage Real-time/Photos/Videos Upload/Download Geo Tagging, IR 100 feet PIR Sensing Distance - 90ft, PIR Sense Angle - 120° Support up to 512GB SD/SDHC Card Power Supply: AA Batteries 8	10
3	CAMERA TRAP IR (INFRA-RED)	Image resolution-2/5/8/12/20 mega pixel Highest resolution video - 1920 x 1080p Recovery time 2 seconds IR LEDs-6pcs 850mm PIR Angle-80° Image camera ID, date/time, Temperature/moon phase Min built in 2.0" TFT color screen/display Memory-SD Card up to 32 GB Power Supply-8 AA batteries Adjustable Pir Sensitivity-Low/Medium/High IP66	15

4	SMART STUN WITH SHOCK & SIREN	Material: Aluminium 6063, ABS IP Rating: IP 54 Grip Diameter: 1.25" Light Tye: LED Light Wattage: 1.5 Each Alarm Hooter Intensity: 115dB at 1 meter Battery Type: Lithium Ion Capacity: 6000mah Battery Voltage: 3.7v Charging Current: 1 Amp Input Voltage: 3.7 V Output Voltage (Shock): 10000 v Current: .001 Amp Total Shock Per Charge: 800-1000 (2 Sec per Shock) Foldable: Yes Weight: 1 Kg, Height: 4.7" Warranty: 1 year Carry-In Warranty Certification: CE, ISO 9001-2015	15
	STUN STICK WITH ELECTRIC SHOCK	Material: Aluminium 6063, ABS IP Rating: IP 54 Grip Diameter: 1.25" Battery Type: Lithium Ion Capacity: 6000mah Battery Voltage: 3.7v Charging Current: 1 Amp Input Voltage: 3.7V Output Voltage (Shock): 10000 v Current: .001 Amp Total Shock Per Charge: 800-1000 (2 Sec per Shock) Weight: 1 Kg, Height: 4ft Warranty: 1 year Carry-In Warranty Certification: CE, ISO 9001-2015	
5	ANIMAL REPELLENT DEVICE (PIR ANIDER) FOR UNDULATING & HILLY FOREST ADJACENT TO VILLAGES	Dimension: 200mm x 200mm x 200mm (+-5%) Hooter: 13 Watts Sound: 40 Hz to 15000 Hz (Audible) Sound Intensity: 150dB ±02dB (at 1 m distance) Total Sounds: 30 or more combination Light Intensity: 250 Lumens (or more) Solar Power: 15W Panel Size: 360x290mm (+-5%) Alarm Duration: Adjustable No. of Alarm Triggers in Each Charge: 100-150 Sensors: Passive Infrared Motion Sensors Sensor Range: 30 Meters (Or more) Day/Night Mode: Yes Horizontal Detection Angle: 180 (+-5%) Vertical Detection Angle: 30 (+-5%) Warranty: 1 year Carry-In Warranty Certification: CE, ISO 9001-2015 Accessories: 4-5 Feet Pole, Bolts & Nuts For hilly Terrain	12

6	ANIMAL REPELLENT DEVICE (VF 100 ANIDER) FOR LARGE OPEN FOREST LAND ADJACENT TO VILLAGES WITH INSTALLATION	Dimension: 200mm x 200mm x 200mm (+-5%) Hooter: 13 Watts Sound: 40 Hz to 15000 Hz (Audible) Sound Intensity: 150dB ±02dB (at 1 m distance) Total Sounds: 30 or more combination Light Intensity: 250 Lumens (or more) Solar Power: 15W Panel Size: 360x290mm (+-5%) Alarm Duration: Adjustable No. of Alarm Triggers in Each Charge: 100-150 Sensors: Active Infrared Motion Sensors Sensor Range: 100 Meters (Or more) Day/Night Mode: Yes Detection Area: Straight Line Warranty: 1 year Carry-In Warranty Certification: CE, ISO 9001-2015 Accessories: 4-5 Feet Pole, Bolts & Nuts For Grassland & Open Plains	6
7	ANIMAL CAPTURE NET GUN	Material - Reinforced nylon and aluminum body, Brass Net projectiles Propellant Type - Pyrotechnic Net Gun Dimensions - 21x16.5x10.5 Net Dimension - 12x12 Feet Net gun weight with net loaded -5 Kg Net Thickness - 1.5 mm Net Mesh Size - 2 Inches, Net Material - Nylon Net Speed - 7 meter per second	2
8	STUN STICK WITH ELECTRIC SHOCK	Material: Aluminium 6063, ABS IP Rating: IP 54 Grip Diameter: 1.25" Battery Type: Lithium Ion Capacity: 6000mah Battery Voltage: 3.7v Charging Current: 1 Amp Input Voltage: 3.7 V Output Voltage (Shock): 10000 v Current: .001 Amp Total Shock Per Charge: 800-1000 (2 Sec per Shock) Weight: 1 Kg, Height: 4ft Warranty: 1 year Carry-In Warranty Certification: CE, ISO 9001-2015	25
10	SNAKE RESCUE KIT	Snake Tong 36 Inch - 1, with wide opening & wafer-thin grabber made of alloy shaft & Steel Mouth Opening Two Line Lower & One Upper Hook Line Grabber hook style Snake Hook 36 Inch 1 with 6 mm hook, 6- & 12-mm jointed shafts with Anti-Skid Grip Snake Hook 24 inch 1 with wooden grip Snake Bagger - 1 Triangular, with handle Torch 1 Pocket white led torch Gloves Pair - 1, heavy leather gloves 14" Snake Bite First Aid Kit - 1, Carry Bag - 1	12

11	SNARE POLE SET WITH Y POLES	Telescopic Snare Pole of 6feet length with 6 mm Braided Wire with plastic coating & Y Shaped Pressing poles to capture animal	12
12	BINOCULARS	Extra-Low Dispersion (ED) objective lenses provide high resolution, high contrast images that are virtually free of optical defects like chromatic aberration (color fringing) Fully multi-coated optics deliver maximum light transmission through the optical path Phase coated BaK-4 prisms produce vivid, true-to-life colors Eyeglass friendly generous eye relief and sturdy, twist-up eyecups with multiple stops 6.5' close focus Tripod adaptable 10x42 DX Series	12
13	RANGE FINDER	Measuring Distance 400/600/800/1000/1200 (M/Y) Magnification 6x FOV 122m (7 fov) Objective Lens 25mm Eyepiece 16mm Exit Pupil Diameter 3.9mm	12
14	SEARCH LIGHT TORCH 15000 LUMEN	Make Sgln 006 Range up to 2500 mtrs Narrow Beam Angle Fix Focus Type Toughend glass Body Color Black Body Material - Aircraft Aluminium Grade 15000mah lumen High-Capacity Li-ion Battery Upto 12 hours running time C- Type Charging Port Mobile Charger USB Port Power Adapter Input AC 100-240V Power Adapter Output - DC 4.2V/2.4A Warranty 1 Year	12
15	FLASH LIGHT TORCH (WITH DUAL FOCUS 1500 LUMEN YELLOW & WHITE FOCUS)	30 Watt+30-Watt (White/Yellow) Color Output Torch Range 1000 mtrs approx. ABS Body with shoulder strap to carry & handling. 3.7V lithium Battery Modes- White strong-low, Yellow strong- low, Both Strong -Low Flasher & Side light LED, High-Low Police Signal. 4.2 Volt & battery Status indicator availability. USB output for mobile charging. Dimension 110mm X 120mm X 280mm.	60
16	FOLDABLE ROPE LADDER 60 FEETS	PP Rope 18 mm rope knotted & fixed with solid wooden/ bamboo steps of 18" distant to 18" with length around 60 feets	15
17	RESCUE PERSONNEL UNIFORM SET (CAMO/SPECIAL) WITH ANTI SKID TREKKING SHOES (THORN PROOF CLOTHES & SUPERDRY MATERIAL)	Camouflage & Olive Green Color Uniform, lightweight & thorn resistant with Cap & Anti-Skid shoes for better grip.	36
18	POLYCARBONATE SHIELD WITH LATHI 4MM	Polycarbonate Shield with 4mm thickness with side wall protection. And 4mm Polycarbonate Baton	30

19	ANTI RIOT HELMET	Black ABS Helmet with polycarbonate visor & Mesh Guard with neck guard protection.	30
20	DEEP SEARCH METAL DETECTOR (GARRET)	Model Name - Garrett Underground metal search detector Color Black Battery AA Size Adjustable Frequency Frequency 8KHz Notch Discrimination Yes Electronic Pinpointing Yes Total Weight 1.27 Kgs Warranty 2 years	3

1. निविदा दस्तावेज से संबंधित सभी विवरण ई-प्रोक्योरमेंट पोर्टल पर निःशुल्क देखे और डाउनलोड किए जा सकते हैं।
2. इच्छुक निविदाकार क्रेडिट/डेबिट/कैश कार्ड/इंटरनेट बैंकिंग के माध्यम से पोर्टल शुल्क का ऑनलाईन भुगतान करने के बाद निविदा दस्तावेज को ई-प्रोक्योरमेंट पोर्टल पर दिनांक 22.10.2025 शाम 5:00 बजे से निविदा जमा करने की अंतिम तिथि एवं समय तक केवल ऑनलाईन खरीद सकते हैं।
3. ई-प्रोक्योरमेंट पोर्टल पर महत्वपूर्ण तिथियों के रूप में उल्लेखित निविदा प्रक्रिया तिथियां लागू होगी।
4. प्रथम निविदा में सामग्री दर यदि मार्केट (बाजार) से अधिक पाई जाती या सामग्री दर वनमंडल के बजट को प्रभावित करती है अथवा सामग्री की दर प्राप्त नहीं होने पर निविदा निरस्त किये जाने का पूर्ण अधिकार अद्योहस्ताक्षरकर्ता के पास सुरक्षित रहेगा।
5. ई-निविदा आमंत्रण सूचना में शुद्धिपत्र/परिशिष्ट, यदि कोई हो केवल पोर्टल पर प्रकाशित किया जाएगा, समाचार पत्रों में नहीं।
6. ई-प्रोक्योरमेंट पोर्टल : <https://www.mptenders.gov.in/>

क्र	विवरण	दिनांक	समय
01	Publishing Date	22.10.2025	निविदा ऑन लाईन प्रस्तुत करने तथा खोलने का समय वेबसाइट https://mptenders.gov.in पर दर्शित हैं।
02	Document Download / Sale Start Date	22.10.2025	
03	Bid Submission Start Date	23.10.2025	
04	Bid Submission Closing Date	04.11.2025	
05	Bid Opening Date	06.11.2025	


 वनमंडलाधिकारी
 दक्षिण बैतूल (सा0) वनमंडल